

Safety Data Sheet
Lecenté Finishing Wipe Liquid
Page 1

Compilation Date: 01/03/2020



Section 1 – Identification of the Substance/Preparation and of the Company Undertaking

1.1. Product identifier

Product name: Lecenté Finishing Wipe Liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC39: Cosmetics, personal care products.

1.3. Details of the supplier of the safety data sheet

Company name: Nail Perfection Ltd, Unit 15 Canal Industrial Park, Gravesend, Kent. DA12 2PA.

Emergency Phone Numbers: +44 1474 327770

Information Contacts: +44 1474 327770

Email: maria@lecente.com

Section 2 - Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: STOT SE: H336; Eye Irritant 2: H319; Flammable Liquid 3: H226

Most important adverse effects: Flammable liquid and vapour. Causes serious eye irritation.
May cause drowsiness and dizziness.

2.2. Label elements

Label elements:

Hazard statements: H226: Flammable liquid and vapour.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

Signal Words: Warning

Hazard pictograms: GHS07: Exclamation mark GHS02: Flame



Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312: Call a POISON CENTRE/doctor//if you feel unwell.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

2.3. Other hazards

In use, may form flammable / explosive vapour-air mixture.

PBT:

This product is not identified as a PBT/vPvB substance.

Safety Data Sheet
Lecenté Finishing Wipe Liquid
Page 2

Compilation Date: 01/03/2020



Section 3 - Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT/WEL	CLP classification	%
200-661-7	-	-	Flam Liq. 2 H225 ; Eye Irrit. 2 : H319 ; STOT SE 3 H336	25-50%

Non-classified ingredients:

AQUA

-	7732-18-5	-		50-75%
---	-----------	---	--	--------

CAPRYLYL/CAPRYL GLUCOSIDE

-	68515-73-1	-		0.1-1%
---	------------	---	--	--------

TETRASODIUM IMINODISUCCINATE

-	144538-83-0	-		0.1-1%
---	-------------	---	--	--------

CITRIC ACID ANHYDROUS POWDER

201-069-1	77-92-9	-		0.1-1%
-----------	---------	---	--	--------

Section 4 - First aid measures

4.1. Description of first aid measures

Skin contact:

Remove all contaminated clothes and footwear immediately unless stuck to skin.
Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact:

Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion:

Wash out mouth with water. Consult a doctor.

Inhalation:

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:

There may be irritation and redness at the site of contact.

Eye contact:

There may be irritation and redness. The eyes may water profusely.

Ingestion:

There may be soreness and redness of the mouth and throat.

Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Compilation Date: 01/03/2020



Section 5 - Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6 - Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7 - Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Specific end use(s): No data available.

Safety Data Sheet
Lecenté Finishing Wipe Liquid
Page 4

Compilation Date: 01/03/2020



Section 8 - Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients: PROPAN-2-OL

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m ³	1250 mg/m ³	-	-

DNEL/PNEC Values No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9 - Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Colourless
Odour:	Characteristic odour
Viscosity:	Non-viscous
Flash point°C:	55-60
	pH:4-9

9.2. Other information

Other information: No data available.

Section 10 - Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Compilation Date: 01/03/2020



Section 11 - Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:
PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

Section 12 - Ecological information

12.1. Toxicity

2.1. Toxicity
Ecotoxicity values: No data available.

12.2. Persistence and degradability
Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential
Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil
Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment
PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects
Other adverse effects: Negligible ecotoxicity.

Safety Data Sheet
Lecenté Finishing Wipe Liquid
Page 6

Compilation Date: 01/03/2020



Section 13 - Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14 - Transport information

14.1 UN Number: UN number: UN1993

14.2. UN proper shipping name: Shipping name: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es): Transport class: 3

14.4. Packing group: Packing group: III

14.5. Environmental hazards: Environmentally hazardous: **No Marine pollutant: No**

14.6. Special precautions for user: Special precautions: No special precautions.
Tunnel code: D/E
Transport category: 3

Section 15 - Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Specific regulations: Not applicable.

15.2. Chemical Safety Assessment
Chemical safety assessment:

Section 16 - Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.
H226: Flammable liquid and vapour.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Additional Information for users

As with any professional nail system, we highly recommend users attend a Lecenté workshop or conversion course to get the best from our unique products.

Please find below things we feel are necessary to be aware of when working with Lecenté products.

Please keep this information to hand in case of fire, allergies etc.

All Lecenté products comply with Regulation EC 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products. CPNP registration number is 2873608.

All Lecenté gel products including base coat, top coat, colour/glitter coats etc should only be used on a healthy nail plate.

All Lecenté cleansers/acetonones etc are to be used only on the nail plate and surrounding skin.

All Lecenté gels are classed as cosmetic products and are designed purely for changing the appearance of the nail plate and/or surface. All Lecenté nail gels must only be placed on the nail surface (natural or artificial) and must be removed immediately from skin to minimise risk of overexposure, sensitivity and/or allergic reactions. We highly recommend users work as hygienically as possible and carry out regular risk assessments.

It is recommended that users wear PPE during treatments for safest working practices. PPE may include the wearing of a face mask; suitable clothing that is not worn outside of a salon environment, gloves, protective eye protection etc.

To minimise any allergies or overexposure, we recommend any product that comes into contact with skin is removed immediately and washed well with soap and water.

If irritation of the skin occurs or if there is nail separation, please obtain medical advice.

All ingredients within the Lecenté gel polish range are classified as safe for use within nail gels and have been independently tested to gain CI/INCI numbers for use within cosmetic preparations.

All Lecenté products are manufactured according to Good Manufacturing Practices (GMP) and we do not perform any animal testing. All Create products are free from any animal ingredients.

Each Lecenté gel product has its curing time on the label on each bottle which is relevant for use with the Lecenté Create light. A test certificate is attached for lamp compatibility. It is important that users understand that our tests were carried out under laboratory conditions where the lights were calibrated and confirmed to be true of their wattage/nm etc. We highly recommend that if users decide on using an alternative light source, it is properly calibrated to prevent service breakdown at a later date.

The responsible person for all Lecenté products is Maria Ciantanni

In the event of any adverse reactions please notify Lecenté (Nail Perfection Ltd) on 01474 327770, maria@lecente.com please have to hand product name, colour and batch code for all products used. The local trading standard office for Lecenté (Nail Perfection) is –

Kent County Council, Trading Standards, PO Box 320, Ashford, Kent TN24 8AS
Tel: 03454 04 05 06

Health & safety when working with Lecenté gel products

Minimising overexposure and allergic reactions for the nail technician

Keep this in mind when working – ***These products are for nails, not for skin***

- Change desk towel after each part of the service
- Keep your work surface clean, wipe desks regularly
- Use full PPE when working including gloves, aprons, masks, goggles etc.
- Remove product immediately if it comes into contact with the skin
- Keep hair tied back to prevent it touching your client, touching wet product on the nails, gathering dust etc.
- Invest in an extraction unit as this will keep odours and dust to a safe level
- Dry wipe the inside of your lamp to make sure bulbs are kept clean and dust free
- Clean bottles regularly to prevent contamination
- Follow manufacturer's instructions. If necessary consult your PIF's etc on a regular basis to make sure you are working as safely as possible

Minimising overexposure and allergic reactions for the client

- Do not allow your client to touch any part of their body once you have started the treatment,
- Make sure when they put their hand in the lamp nails sit as upright as possible,
- Remove any product that comes into contact with your client's skin immediately
- Use remover wraps instead of bowls of acetone.
- Assess the nails you are working on and perform a full client consultation on each treatment.
- Do not apply if the skin surrounding the nail is sore, inflamed or broken.

General things to remember

- Reactions can happen anywhere on the body and can start any time
- Working in a clean environment will reduce yours and your clients risks over overexposure etc
- Allergic reactions can only occur if product is under cured, un-cured dust enters the body and if product touches the skin
- Allergic reactions are rare if manufacturers guidelines are followed, in the event of any reaction with any product, remove and seek medical advice
- Allergies are for life and can impact further on different areas of the body.