



Section 1 - Identification of the Substance/Preparation and of the Company Undertaking

Product Name: Lecenté Beach Hut Colour UV gel

Manufacturer: Nail Perfection Ltd, Unit 15 Canal Industrial Park, Canal Road, Gravesend, Kent. DA12 2PA. UK.

Emergency Phone Numbers: +44 1474 327770

Product identifier Mixture identification: UV gel

Section 2 - Hazards

Classification of the substance or mixture

Skin sensitisation - Category 1

Irritant - Category 11

Label element

Signal word: WARNING!



Hazardous characteristics

May cause an allergic skin reaction

May cause sensitisation by skin contact.

Precautionary statements

H317—May cause an allergic skin reaction.

H319—Cause serious eye irritation

H302—Harmful if swallowed

H332—Harmful if inhaled

P272—Contaminated work clothing should not be allowed take out of the workplace

P280—Wear protective gloves/protective clothing/eye protection/face protection.

P363—Wash contaminated clothing before reuse

P302 + P352—Wash with plenty of soap and water once skin-touch occurs.

P333 + P313—If skin irritation or rash occurs, get medical advice/attention.



Section 3 – Composition

Lecenté UV gels are a mixture of the following ingredients and/or pigments.

| Chemical identity | CAS# | EINECS# | Content (weight %) | EXPOSURE OSHA TWA/STEL | LIMITS ACGIH TWA/STEL | CARCINOGEN IARC/NTP/OSHA |
|--|--------------|-------------|--------------------|------------------------|-----------------------|--------------------------|
| Hydroxypropyl Methacrylate | [27813-02-1] | [248-666-3] | <= 45 | N/E | N/E | Not Listed |
| Polyurethane | [9009-54-5] | | <= 25 | N/E | N/E | Not Listed |
| Polyethylacrylate | [9003-32-1] | | <= 25 | N/E | N/E | Not Listed |
| 1-Hydroxycyclohexyl Phenyl Ketone | [947-19-3] | [13-426-9] | <= 5 | N/E | N/E | Not Listed |
| Ethyl (2,4,6-trimethylbenzoyl) Phenylphosphinate | [84434-11-7] | [282-810-6] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 77891 white | [13463-67-7] | [236-675-5] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 77007 blue | [12769-96-9] | [235-811-0] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 77289 green | [12001-99-9] | [215-160-9] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 12760 orange | [72102-84-2] | [276-344-2] | <= 5 | N/E | N/E | Not Listed |
| CI No. 77742 manganese violet | [10101-66-3] | [233-257-4] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 73360 red | [2379-74-0] | [219-163-6] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 47005 yellow | [94891-32-4] | [305-632-3] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 15880 red | [6417-83-0] | [229-142-3] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 15985 yellow | [2783-94-0] | [220-491-7] | <= 5 | N/E | N/E | Not Listed |
| C.I. No. 77499 black | [1317-61-9] | [215-277-5] | <= 5 | N/E | N/E | Not Listed |
| Mica | [12001-26-2] | [310-127-6] | <= 5 | N/E | N/E | Not Listed |



Section 4 - First aid measures

Description of first aid measures

General information: Instantly remove any clothing soiled by the product. Show this Safety Data Sheet to the doctor in attendance.

Inhalation: Move immediately to fresh air, avoid exertion and seek medical attention.

Skin contact: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available) for at least 15 minutes. If symptoms persist seek medical attention.

Eye contact: Rinse thoroughly with plenty of water, also under the eyelids. Keep eyes wide open whilst rinsing. If symptoms persist, seek medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. If symptoms persist, seek medical attention.

Protection for first-aiders: Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Skin contact: Irritating to skin. May cause sensitisation by skin contact.

Indication of immediate medical attention and special treatment needed

No further relevant information available.

Extinguishing media

Suitable extinguishing media: Carbon dioxide (CO₂), dry chemical or foam.

Extinguishing media which must not be used: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

Special exposure hazards arise from the product itself, combustion products, and resulting gases. Combustible, slight fire hazard when exposed to heat or flame. The combusting material may emit toxic fumes and vapors.

Section 5 - Firefighting measures

Advice for fire-fighters

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus and protective suit.

Other information: Cool packaging/intermediate bulk containers (IBC)/containers/tanks with water spray from a safe distance with adequate cover. Do not discharge the product and contaminated fire extinguishing water into soil/drains/surface waters/groundwater. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contacting with skin, eyes, clothing.

Remove all sources of ignition, heat, flames and sparks. Ensure adequate ventilation.

Environmental precautions

Prevent product from entering soil/drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Clear area of personnel and move upwind. Prevent further leakage or spillage if safe to do so to contain spillage, collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (relevant to section 13).



Section 7 - Handling and storage

Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Use only in well ventilated areas, possibly combined with a local extraction. Take precautions against electrostatic discharge.

Compliance with minimum standards of the Technical Rules for Hazardous Substances (TRGS) required.

These rules include general hygiene measures like

- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Workers should wash hands and face after usage.
- Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities

Materials to avoid: Acids, bases, oxidizing agents, reducing agents.

Technical measures: The stabiliser is only effective in the presence of oxygen. Keep container in a cool, well-ventilated area. Keep away from heat sources and direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Protect from frost, heat and sunlight. Ensure all equipment is electrically grounded before beginning transfer operations.

Storage:

| | |
|---------------------|---|
| Shelf time | 36 months (original factory packaging) |
| Storage temperature | 15°C ~ 30°C |

Section 8 - Exposure controls/Personal protection

Occupational exposure limits

Contains no substances with occupational exposure limit values.

Occupational exposure controls

Engineering measures: Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Hygiene measures: When using, do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing before re-use. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

General information: Use personal protective equipment in good condition. Protective equipment must be chosen depending on activity and possible exposure. The chemical resistance of the protective equipment should be clarified with whose suppliers.

Respiratory protection: Suitable respiratory protection for higher concentrations or long-term effect: Gas filter EN141 Type A for gases/vapors of organic compounds (boiling point >65 °C).

Hand protection: Wear chemical resistant protection gloves (EN374) made of suitable material such as Nitrile rubber (nitrile thickness > 0.5 mm). Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility, etc.) is noticed.

Eye protection: Safety glasses with side-shields (frame goggles) (EN 166).

Skin and body protection: Use a face shield, long sleeved, impervious protective clothing and boots.

Environmental exposure controls

Refer to section 6 and section 7.



Section 9 - Physical and chemical properties

| Item | value |
|--|--|
| Appearance | liquid |
| Odour | characteristic |
| Density | 1.05~1.17 g/cm ³ (25 °C) |
| Vapour pressure | < 0.01 kPa (20 °C) |
| Vapour density | 1.0 kg/m ³ |
| PH | 6.8~7.0 |
| Solubility in water/ organic solvents | slight in water; soluble in esters and ketones |
| Melting point | N/DA |
| Boiling point | >200°C |
| Flash point | >80 °C |
| Partition coefficient, n-octanol/water | not available |
| Auto-ignition temperature | N/AP |
| Evaporation rate | > 302 °F (150 °C) |
| Decomposition temperature | N/DA |
| Viscosity | 1500~2500 cps (25°C) |
| Explosive properties | N/DA |
| Oxidizing properties | N/DA |

Section 10 - Stability and reactivity

Chemical stability

Stable under recommended storage conditions.

Reactivity

Possibility of hazardous reactions

Hazardous polymerization. Inhibitors have been added to stabilize this product. Maintaining air in the storage containers is important to keep inhibitors active.

Materials / Conditions to avoid

Acids, bases, oxidizing agents, reducing agents. Direct sunlight, any other sources of heat or radiation, flames and sparks, oxidizing conditions, inert gas blanketing.

Hazardous decomposition products

None when used as directed. Thermal decomposition will lead to the release of carbon monoxide (CO) and carbon dioxide (CO₂).



Section 11 - Toxicological information

Acute health effects

Swallowed: Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting.

Eye: This material can cause eye irritation and damage in some persons.

Skin: This material can cause inflammation of the skin on contact in some persons. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.

Inhalation: If inhaled, this material can irritate the throat and lungs of some persons. Although inhalation is not thought to produce harmful effects (as classified under EC Directives), the material may still produce health damage, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally confined to doses producing mortality rather than those producing morbidity (disease, ill-health).

Chronic health effects to toxicity and irritation

Mutagenic effects: contain no known or suspected ingredients that cause this effect.

Carcinogenicity: Contains no known or suspected ingredients that cause this effect.

Reproductive toxicity: Contains no known or suspected ingredients that cause this effect.

This product has not been tested on animals to obtain toxicology data.

Section 12 - Ecological information

Toxicity

Fish: No data available.

Crustacean: No data available.

Algae: No data available.

Persistence and degradability: No data available.

Bio accumulative potential: No data available.

Mobility in soil: No data available.

Results of PBT and vPvB assessment: No data available.

Other adverse effects

No data available.

Section 13 - Disposal considerations

Waste treatment methods

Waste from residues/unused products: Should not be released into the environment. Dispose of the waste in accordance with the European Directives.

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.



Section 14 - Transport information

ADR / RID

Not classified as hazardous under transport regulations.

IMDG / IMO

Not classified as hazardous under transport regulations.

ICAO / IATA

Not classified as hazardous under transport regulations.

Section 15 - Regulation information

Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Other information

All components of this product are in compliance with the following inventories:

U.S. TSCA, Canada DSL, Japan ENCS, Australia AICS

Section 16 - Other information

Disclaimer: The data contained in this Safety Data Sheet is based on our current knowledge and experience. Besides, the data described the product are only with regard to safety requirements. They do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the Safety Data Sheet. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Additional Information for users

As with any professional nail system, we highly recommend users attend a Lecenté workshop or conversion course to get the best from our unique products.

Please find below things we feel are necessary to be aware of when working with Lecenté products.

Please keep this information to hand in case of fire, allergies etc.

All Lecenté products comply with Regulation EC 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

All Lecenté gel products including base coat, top coat, colour/glitter coats etc should only be used on a healthy nail plate.

All Lecenté cleansers/acetones etc are to be used only on the nail plate and surrounding skin.

All Lecenté gels are classed as cosmetic products and are designed purely for changing the appearance of the nail plate and/or surface. All Lecenté nail gels must only be placed on the nail surface (natural or artificial) and must be removed immediately from skin to minimise risk of overexposure, sensitivity and/or allergic reactions. We highly recommend users work as hygienically as possible and carry out regular risk assessments.

It is recommended that users wear PPE during treatments for safest working practices. PPE may include the wearing of a face mask; suitable clothing that is not worn outside of a salon environment, gloves, protective eye protection etc.

To minimise any allergies or overexposure, we recommend any product that comes into contact with skin is removed immediately and washed well with soap and water. Please follow removal procedures correctly.

If irritation of the skin occurs or if there is nail separation, please obtain medical advice.

All ingredients within the Lecenté gel polish range are classified as safe for use within nail gels and have been independently tested to gain CI/INCI numbers for use within cosmetic preparations.

All Lecenté products are manufactured according to Good Manufacturing Practices (GMP) and we do not perform any animal testing. All Create products are free from any animal ingredients.

Each Lecenté gel product has its curing time on the label on each bottle which is relevant for use with the Lecenté Create light. A test certificate is attached for lamp compatibility. It is important that users understand that our tests were carried out under laboratory conditions where the lights were calibrated and confirmed to be true of their wattage/nm etc. We highly recommend that if users decide on using an alternative light source, it is properly calibrated to prevent service breakdown at a later date.

The responsible person for all Lecenté products is Maria Ciantanni

In the event of any adverse reactions please notify Lecenté (Nail Perfection Ltd) on 01474 327770, maria@lecente.com please have to hand product name, colour and batch code for all products used. The local trading standard office for Lecenté (Nail Perfection) is –

Kent County Council, Trading Standards, PO Box 320, Ashford, Kent, TN24 8AS. Tel: 03454 04 05 06

Health & safety when working with the Lecenté Create system

Minimising overexposure and allergic reactions for the nail technician

Keep this in mind when working – ***These products are for use on the surface of the nail only.***

- Change desk towel after each part of the service
- Keep your work surface clean, wipe desks regularly
- Use full PPE when working including gloves, aprons, masks, goggles etc.
- Remove product immediately if it comes into contact with the skin
- Avoid nail files coming in to contact with the nail surface (free edge is fine)
- Keep hair tied back to prevent it touching your client, touching wet product on the nails, gathering dust etc.
- Invest in an extraction unit as this will keep odours and dust to a safe level
- Dry wipe the inside of your lamp to make sure bulbs are kept clean and dust free
- Use only the leads that come with your lamp – NO OTHERS EVEN IF THEY LOOK THE SAME.
- Clean bottles regularly to prevent contamination and overexposure
- Follow manufacturer's instructions. If necessary consult your PIF's etc on a regular basis to make sure you are working as safely as possible

Minimising overexposure, sensitivities and allergic reactions for the client

- Do not allow your client to touch any part of their body once you have started the treatment
- Make sure when they put their hand in the lamp nails sit as upright as possible (If this is not possible cure the 4 fingers first and then thumbs)
- Remove any product that comes into contact with your clients skin immediately
- Avoid swiping gel off up the sidewalls as residue may get caught under the nail plate, remain uncured and may lead to hardening/splitting of the hyponychium and nail separation
- Use remover wraps instead of bowls of acetone.
- Create will flake off the nails when correct removal procedure is followed. Do not file off stubborn gel as this will lead to onycholysis (nail separation) and thinning of the nail plate over a period of time. It will also make the next removal harder as the gel will sit lower in some parts of the nail
- Assess the nails you are working on and perform a full client consultation on each treatment.
- Do not apply if the skin surrounding the nail is sore, inflamed or broken.

General things to remember

- A true allergy is any area of the body that comes in contact with cured/uncured gel products, true allergies are not localised to the nail area.
- Uncured gel will absorb its way into the body and may cause overexposure/sensitivities that may lead to an allergy. Make sure nails are thoroughly checked and any uncured product is removed
- Allergic reactions can only occur if product is not cured correctly (under cured), dust/product enters the body via ingestion, inhalation or absorption or uncured product remains on the skin.
- Allergic reactions are extremely rare if manufacturers guidelines are followed and products remain only on the nail surface, in the event of any reaction with any product, remove and seek medical advice
- Allergies are for life

Date: 20/08/2020

NP QC 1032



PRODUCT SPECIFICATION

PRODUCT CODE: NP Beach Hut Colour Coat 001

PRODUCT DESCRIPTION: Soak Off Wet Surface Colour Coat

| PROPERTY | SPECIFICATION | TEST METHOD |
|------------------------------------|-------------------------|-------------|
| Extraneous matter | None present | NP TM 01 |
| Colour | Pass | NP TM 02 |
| Lecenté Create UV LED light system | 30 seconds cure – PASS | NP TM 03 |
| CND UV light system | 120 seconds cure – PASS | NP TM 04 |
| CND LED light system | 60 seconds cure – PASS | NP TM 05 |
| Brookfield Viscosity | 1500~2500 cps (25°C) | NP TM 06 |
| Performance Test | Pass | NP TM 07 |
| Cured colour and gloss | Pass | NP TM 08 |

This certificate confirms full and proper curing of Lecenté Create Beach Hut Colour Coat in the aforementioned lamps.